

(FILE 'HOME' ENTERED AT 09:17:04 ON 24 MAY 2010)

FILE 'MEDLINE, CAPLUS, EMBASE, BIOSIS, BIOTECHNO, COMPUSCIENCE' ENTERED
AT 09:17:45 ON 24 MAY 2010

L1 259186 S MICROARRAY
L2 4 S SCALE (5A) CONTROL (W) AVERAGE
L3 13232 S L1 AND SCAL?
L4 5 S L1 AND (AVERAGE PROFILE)
L5 6 S ASSOCIATIVE T-TEST
L6 554 S (FALSE POSITIVE RATE) AND (TRUE POSITIVE RATE)
L7 31 S L1 AND L6
L8 6949 S (FALSE POSITIVE?) AND (TRUE POSITIVE?)
L9 103 S L1 AND L8
L10 43 S KOLMOGOROV AND L1
L11 6288 S "F-TEST" OR (F(W)TEST)
L12 114540 S "T-TEST" OR (T(W)TEST)
L13 948 S L11 (S) L12
L14 78 S L13 (S) COMPARISON
L15 13 S L13 AND (FALSE POSITIVE)
L16 199 S L12 (5W) (RESIDUAL OR ERROR OR DEVIATION)
L17 4 S L16 AND L1
L18 40 S ("T-TEST" OR "T TEST") (5N) RESIDU?
L19 363 S ("DOZMOROV I"/AU OR "DOZMOROV I DR"/AU OR "DOZMOROV I G"/AU O
L20 397 S ("CENTOLA M"/AU OR "CENTOLA M B"/AU OR "CENTOLA MICHAEL"/AU O
L21 625 S L19 OR L20

=>